

REVIEWERS
VOLUME 19 (2025)

78 reviewers: several individuals reviewed more than one manuscript.

We sincerely apologize if your name was accidentally left out.

Thank you for supporting *Journal of the Botanical Research Institute of Texas*.

Abbasi, Mehrdad	Idarraga, Alvaro	Powell, A. Michael
Ackerfield, Jennifer	Ishaq, Aamna	Prance, Ghilleen
Acuna, Rafael	Jackson, August	Rapini, Alessandro
Afzal, Saliha	Kartesz, John	Risk, Allen C.
Allen, Jessica L.	Keener, Brian R.	Rogers, George K.
Al-Shehbaz, Ihsan	Keith, Eric	Rohwer, Jens G.
Alvarado, Leonardo	Kellar, Roxanne (Roxi)	Rosen, David J.
Ariza-Cortés, William	Khodaparast, Seyed Akbar	Small, Randy
Aymard, Gerardo	Kirkbride, Joe	Sorrie, Bruce
Ballington, Jim	Knudsen, Kerry	Spaulding, Daniel
Barrie, Fred R.	Leavitt, Steve	Standley, Lisa
Beck, James	Leggett, Aaron	Teisher, Jordan
Becker, Anna	Luteyn, Jim	Timdal, Einar
Buthod, Amy	Mamut, Reyim	Towsend, John
Diamond, Alvin	Marisco, Travis	Trock, Deb
Diggs, Tom	Mathews, Sarah	Unberg, Eric
Dillenberg, Markus	McDaniel, Virginia	Weakley, Alan
Driessen, Wiel	Meinhardt, Lyndel	Weedin, Jim
Endress, Mary	Middleton, Beth A.	Whitmore, Alan T.
Esteban Jimenez, Jose	Montesinos, Daniel	Whitton, Jeannette
Fajardo, Felipe	Morales, Francisco	Wilson, Mark
Fertig, Walt	Nee, Michael	Wood, John
Freeman, Craig C.	Nesom, Guy	Wyatt, Robert
Goldberg, Nisse A.	Neubig, Kurt	Zhang, Dapeng
Haberle, Romey	Niazi, Abdul Rehman	
Hansen, Curtis J.	O'Kane, Steve	
Hudson, Don	Ogle, Jennifer	

INDEX TO 43 TITLES WITH 96 AUTHORS
VOLUME 19 (2025)

We know you have a choice.

Thank you for choosing and supporting *Journal of the Botanical Research Institute of Texas*.

- A first report of **Xeranthemum annuum** (Asteraceae: Cardueae) in Montana and North America (U.S.A.) by Neil Snow, Marguerite Trost, and John F. Pruski **19(3):335**
- A new combination and two nomenclatural updates in **Ceratostema** (Ericaceae: Vaccinieae) from southeastern Ecuador by Xavier Cornejo and James L. Luteyn **19(1):35**
- A new species of **Streptanthus** (Brassicaceae) from the North Coast Range of California (U.S.A.) by Richard O'Donnell **19(3):167**
- A new species, new records, and new synonyms of **Mandevilla** (Apocynaceae) from Ecuador, with comments on morphological characters by J. Francisco Morales **19(1):39**
- A simple, PCR-based method for the identification of **Triodanis** (Campanulaceae) species and their hybrids by Alyssa Wu Zhan, Jolie E. Linhart, Keegan McConnell, Taylor Simmonds, Jennifer Weber, and Kurt M. Neubig **19(2):71**
- Aphelandra bracteopectinata** (Acanthaceae): A beautiful new species from northwestern Ecuador by Xavier Cornejo, Dieter Wasshausen, and Brandon Cohen **19(2):95**
- Asarum arifolium** (Aristolochiaceae) new for Texas (U.S.A.) by George M. Diggs, Jr., Barney L. Lipscomb, and Robert J. George **19(2):147**
- Botany of the 1860 Chadbourne Expedition from Williams and Bowdoin colleges to Labrador and Greenland. Part 1: Greenland by Arthur V. Gilman **19(2):107**
- Chromosome numbers of miscellaneous southwestern North American angiosperms by Zachary S. Rogers, Darrell E. Ward, Sara Fuentes-Soriano, and Richard W. Spellenberg **19(1):51**
- Columnnea flammeostoma**, a new species of Gesneriaceae from the Cordillera del Cóndor in southern Ecuador by John L. Clark **19(2):101**
- Cypripedium candidum** (Orchidaceae) discovered in Arkansas, U.S.A. by Ben E. Benton, Diann Dennis, Jim Keesling, Paul Barnard, and Theo Witsell **19(4):617**
- Deciphering the identity of **Dendropanax caucanus** (Araliaceae) and a new species from Costa Rica by J. Francisco Morales **19(4):491**
- East Indian holly fern, **Arachniodes simplicior** (Dryopteridaceae), in Georgia, U.S.A. by Robert W. Pemberton **19(4):621**
- Erigeron beyrichii** (Asteraceae), a new combination and redefinition of a widespread taxon in the southeastern United States by Richard D. Noyes and Derick Poindexter **19(1):27**

- Erratum: What is *Suksdorf's* hawthorn? Revision of the Western North American 20-stamen black-fruited hawthorns (***Crataegus*** series ***Douglasianae***, Rosaceae subtribe Malinae) by Timothy A. Dickinson **19(3):209**
- Evolution and taxonomic revision of the “residual highbush” blueberries of ***Vaccinium*** sect. ***Cyanococcus*** (Ericaceae) by Peter W. Fritsch, Andrew A. Crowl, and Paul Manos **19(4):419**
- First record of ***Arum italicum*** (Araceae) from the Oklahoma (U.S.A.) flora by Brett E. Serviss, Martin J. Campbell, and Cynthia A. Fuller **19(3):341**
- First record of ***Euonymus maackii*** (Celastraceae) from the Arkansas (U.S.A.) flora by Brett E. Serviss and Jonathan R. Kratz **19(4):611**
- First record of ***Pleioblastus fortunei*** (Poaceae) from the Arkansas (U.S.A.) flora by Brett E. Serviss and Jonathan R. Kratz **19(2):141**
- Floral response of eight forb species to prescribed fire in the southern Great Plains (U.S.A.) by Whitney L. Behr, Kyle Simpson, Elinor M. Lichtenberg, Kristen A. Baum, Shalene Jha, and Norma Fowler **19(3):223**
- Herbarium specimens reveal a significantly earlier flowering trend for ***Cypripedium acaule*** (Orchidaceae) in North Carolina (U.S.A.) by Kylie E. Dumaw, Kathleen M. Pryer, Michael D. Windham, and Nikolai M. Hay **19(3):211**
- Lectotypification of ***Arenaria howellii*** (Caryophyllaceae) by Markus S. Dillenberger and Richard K. Rabeler **19(3):205**
- Morphological and genetic analyses of herbarium specimens clarify the arrival of non-native common reed (***Phragmites australis*** subsp. ***australis***) in Kansas (U.S.A.) by James B. Beck, Isabell DeVilbiss, Sydney Hendrix, Tommy Huela, Mason Moore, Yana Slivka, David Smith, Cassandra Standley, and Craig C. Freeman **19(4):629**
- Morphology, geography, and ecology of incised-leaf variants of ***Symphotrichum lowrieianum*** (Asteraceae) by Frosty Levy **19(1):1**
- New additions and noteworthy records for the flora of Indiana (U.S.A.) including a new North American record by Scott A. Namestnik, Nathanael J. Pilla, and William E. Thomas **19(3):255**
- New and noteworthy reports of lichens and allied fungi to Colorado (U.S.A.), including descriptions of two species new to science by Erin A. Manzitto-Tripp, Jacob L. Watts, and Seth J. Raynor **19(4):389**
- Nomenclatural notes in ***Arenaria*** (Caryophyllaceae) from the Páramos of Ecuador (Rubiaceae, Dialypetalanthoideae) by Emilio J. Trujillo and Priscilla Muriel **19(4):607**
- Opuntia bentonii***: A Texas Gulf Coast beach cactus (Cactaceae: Opuntioideae) by Joseph Shaw and David J. Ferguson **19(1):17**
- Pleurothallis puyoensis*** (Orchidaceae: Pleurothallidinae): A new species of subsection ***Macrophyllae-Fasciculatae*** from eastern Andean slopes of Ecuador by Xavier Cornejo and Dayana Criollo-Naula **19(2):89**
- Reassessment of the Atlantic Coastal Plain variant of ***Nabalus albus*** (Asteraceae) by Bruce A. Sorrie and Richard J. LeBlond **19(3):177**
- Recent discovery of a significant population of ***Drosera rotundifolia*** (Droseraceae) in northwest Alabama (U.S.A.) by David M. Frings and L.J. Davenport **19(2):133**
- Scottmoria cupellastyla*** and ***S. stylivulcanica***, two new trees of Lecythidaceae from Costa Rica, and ***S. woodsoniana***, a new combination from Panama by Xavier Cornejo **19(4):483**
- Synopsis and typification of New World members of the tribe Chiococceae (Rubiaceae, Dialypetalanthoideae) by Piero G. Delprete **19(4):501**
- Taxonomic revision of the ***Packera crocata/dimorphophylla*** (Asteraceae: Senecioneae) complex in the southern Rocky Mountains (U.S.A.) by Charles F. Keller, Erika R. Moore-Pollard, and Ross A. McCauley **19(2):77**
- Taxonomy of ***Persea*** (Lauraceae) in the southeastern USA by Alan R. Franck **19(4):475**
- The earliest known botanical illustration depicting the entirety of a coffee plant (***Coffea arabica***, Rubiaceae) (1666) by Fernando E. Vega **19(2):129**
- The hardy ***Hibiscus***—still hardy, but no longer ***Hibiscus***: Reinstatement of ***Muenchusia*** (Malvaceae: Hibisceae) by Margaret M. Hanes and Russell L. Barrett **19(4):375**
- The naturalization of ***Phegopteris decursive-pinnata*** (Aspleniaceae), the Japanese beech fern, in Georgia, U.S.A. by Robert W. Pemberton **19(4):625**
- The vascular flora of Estill County, Kentucky, U.S.A. by Richard G. Guetig and Ronald L. Jones **19(3):285**
- Townsendia raptora*** (Asteraceae: Astereae): A new narrow endemic species from Utah and Colorado (U.S.A.) by Leila M. Shultz, Timothy K. Lowrey, and Zachary R. Coury **19(3):157**
- Una nueva especie de ***Virola*** (Violeae, Myristicaceae), novedades corológicas en el género y lista anotada de las especies de la región Amazónica Colombiana by Daniel Santamaría-Aguilar y Jorge Mario Vélez-Puerta **19(3):183**
- Vascular plants of Benton County, Oregon, U.S.A.: A checklist by Richard R. Halse and Theodora Jaster **19(3):347**
- Vegetation and environmental factors of inland saline wetlands in the upper St. Johns River Basin, Florida, U.S.A. by Alexander Lee Griffel Dalager **19(3):241**

INDEX OF 96 AUTHORS

VOLUME 19 (2025)

Thank you for choosing *Journal of the Botanical Research Institute of Texas*.

- | | | |
|--|---|---------------------------------------|
| Barnard, Paul 19(4):617 | Coury, Zachary R. 19(3):157 | Dumaw, Kylie E. 19(3):211 |
| Barrett, Russell L. 19(4):375 | Criollo-Naula, Dayana 19(2):89 | Ferguson, David J. 19(1):17 |
| Baum, Kristen A. 19(3):223 | Crowl, Andrew A. 19(4):419 | Fowler, Norma 19(3):223 |
| Beck, James B. 19(4):629 | Dalager, Alexander Lee Griffel 19(3):241 | Franck, Alan R. 19(4):477 |
| Behr, Whitney L. 19(3):223 | Davenport, L.J. 19(2):133 | Freeman, Craig C. 19(4):629 |
| Benton, Ben E. 19(4):617 | Delprete, Piero G. 19(4):501 | Frings, David M. 19(2):133 |
| Campbell, Martin J. 19(3):341 | Dennis, Diann 19(4):617 | Fritsch, Peter W. 19(4):419 |
| Clark, John L. 19(2):101 | DeVilbiss, Isabell 19(4):627 | Fuentes-Soriano, Sara 19(1):51 |
| Cohen, Brandon 19(2):95 | Dickinson, Timothy A. 19(3):209 | Fuller, Cynthia A. 19(3):341 |
| Cornejo, Xavier 19(1):35; 19(2):95; 19(4):483 | Diggs, Jr., George M. 19(2):147 | George, Robert J. 19(2):147 |
| | Dillenberger, Markus S. 19(3):205 | Gilman, Arthur V. 19(2):107 |

- Gueting, Richard G. **19(3)**:285
- Halse, Richard R. **19(3)**:347
- Hanes, Margaret M. **19(4)**:375
- Hay, Nikolai M. **19(3)**:211
- Hendrix, Sydney **19(4)**:629
- Huela, Tommy **19(4)**:627
- Jaster, Theodora **19(3)**:347
- Jha, Shalene **19(3)**:223
- Jones, Ronald L. **19(3)**:285
- Keesling, Jim **19(4)**:617
- Keller, Charles F. **19(2)**:77
- Kratz, Jonathan R. **19(2)**:141; **19(4)**:611
- LeBlond, Richard J. **19(3)**:177
- Levy, Frosty **19(1)**:1
- Lichtenberg, Elinor M. **19(3)**:223
- Linhardt, Julie E. **19(2)**:71
- Lipscomb, Barney L. **19(2)**:147
- Lowrey, Timothy K. **19(3)**:157
- Luteyn, James L. **19(1)**:35
- Manos, Paul **19(4)**:419
- Manzitto-Tripp, Erin A. **19(4)**:389
- McCauley, Ross A. **19(2)**:77
- McConnell, Keegan **19(2)**:71
- Moore, Mason **19(4)**:629
- Moore-Pollard, Erika R. **19(2)**:77
- Morales, J. Francisco **19(1)**:39; **19(4)**:491
- Muriel, Priscilla **19(4)**:605
- Namestnik, Scott A. **19(3)**:255
- Neubig, Kurt M. **19(2)**:71
- Noyes, Richard D. **19(1)**:27
- O'Donnell, Richard **19(3)**:167
- Pemberton, Robert W. **19(4)**:621, 625
- Pilla, Nathanael J. **19(3)**:255
- Poindexter, Derick **19(1)**:27
- Pruski, John F. **19(3)**:335
- Pryer, Kathleen M. **19(3)**:211
- Rabaler, Richard K. **19(3)**:205
- Raynor, Seth J. **19(4)**:389
- Rogers, Zachary S. **19(1)**:51
- Santamaría-Aguilar, Daniel **19(3)**:183
- Serviss, Brett E. **19(2)**:141; **19(3)**:341; **19(4)**:611
- Shaw, Joseph **19(1)**:17
- Shultz, Leila M. **19(3)**:157
- Simmonds, Taylor **19(2)**:71
- Simpson, Kyle **19(3)**:223
- Slivka, Yana **19(4)**:629
- Smith, David **19(4)**:629
- Snow, Neil **19(3)**:335
- Sorrie, Bruce A. **19(3)**:177
- Spellenberg, Richard W. **19(1)**:51
- Standley, Cassandra **19(4)**:629
- Thomas, William E. **19(3)**:255
- Trost, Marguerite **19(3)**:335
- Trujillo, Emilio J. **19(4)**:607
- Vega, Fernando E. **19(2)**:129
- Vélez-Puerta, Jorge Mario **19(3)**:183
- Ward, Darrell E. **19(1)**:51
- Wasshausen, Dieter **19(2)**:95
- Watts, Jacob L. **19(4)**:389
- Weber, Jennifer **19(2)**:71
- Windham, Michael D. **19(3)**:211
- Witsell, Theo **19(4)**:617
- Zhan, Alyssa Wu **19(2)**:71

BOTANICAL NAMES AND SUBJECT INDEX VOLUME 19 (2025)

NEW NAMES IN **BOLD FACE**

- Acanthaceae (sp. nov.)—19(2):95
- Alabama (*Drosera rotundifolia*)—19(2):133
- Alternanthera philoxeroides (Indiana state record)—19(3):256
- Amazónica Colombiana—19(3):177
- Aphanes australis (Indiana state record)—19(3):256
- Aphelandra bracteopectinata**, Cornejo, Wassh., & Cohen, **sp. nov.**—19(2):95
- Apocynaceae—19(1):39
- Araceae (Oklahoma state record)—19(3):341
- Arachniodes simplicior (Georgia floristic record)—19(4):621
- Araliaceae—19(4):491
- Arenaria (Ecuador)—19(4):607
- Arenaria howellii (lectotypification)—19(3):205
- Aristolochiaceae (Texas state record)—19(2):147
- Arkansas (floristic record)—19(4):611, 617
- Arkansas (state record)—19(2):141
- Arum italicum (Oklahoma state record)—19(3):341
- Asarum arifolium (Texas state record)—19(2):147
- Aspleniaceae (Georgia floristic record)—19(4):625
- Asteraceae—19(1):1, 27
- Asteraceae (var. nov.)—19(3):177
- Asteraceae: Astereae (sp. nov.)—19(3):157
- Asteraceae: Cardueae (Montana flora record)—19(3):335
- Asteraceae: Senecioneae—19(2):77
- Atlantic Coastal Plain (var. nov.)—19(3):177
- Benton County, Oregon (flora)—19(3):347
- blueberries—19(4):419
- Botanical Survey of India—19(2):155
- Brassicaceae (sp. nov.)—19(3):167
- Cactaceae: Opuntioideae—19(1):17
- Calibrachoa parviflora (Indiana state record)—19(3):259
- California (sp. nov.)—19(3):167
- Campanulaceae—19(2):71
- Carduus acanthoides (Indiana state record)—19(3):259
- Carex cherokeensis (Indiana state record)—19(3):261
- Caryophyllaceae (Ecuador)—19(4):607
- Caryophyllaceae (lectotypification)—19(3):205
- Celastraceae (Arkansas floristic record)—19(4):611
- Ceratostema—19(1):35
- Ceratostema gualaquizaensis** var. **lucida** (Cornejo & Luteyn) Cornejo & Luteyn, **comb. nov.**—19(1):35
- Chadbourne Expedition—19(2):107
- Chiococceae (tribe, Rubiaceae)—19(4):501
- Chromosome numbers—19(1):51
- Coffea arabica—19(2):129
- Coleataenia longifolia subsp. longifolia (Indiana noteworthy record)—19(3):276
- Colorado (lichen and allied fungi reports)—19(4):389
- Colorado and Utah (sp. nov.)—19(3):157
- Columnea flammeostoma** J.L. Clark, **sp. nov.**—19(2):102
- Columnea flammeostoma—19(2):101
- Cordillera del Condor (sp. nov.)—19(2):101
- Corydalis incisa (Indiana state record)—19(3):261
- Costa Rica—19(4):483, 491
- Coutaportia campanilla** (DC.) Delprete, **comb. nov.**—19(4):528
- Cyperus compressus (Indiana state record)—19(3):261
- Cyperus difformis (Indiana state record)—19(3):262
- Cyperus fuscus (Indiana state record)—19(3):262
- Cyperus iria (Indiana state record)—19(3):262
- Cyperus nipponicus (Indiana, NA record)—19(3):255, 256
- Cypripedium acaule (North Carolina)—19(3):211
- Cypripedium candidum (Arkansas floristic record)—19(4):617
- Cyrtomium fortunei (Indiana state record)—19(3):264
- Dendropanax bacchus** J.F. Morales, **sp. nov.**—19(4):495
- Dendropanax caucanus—19(4):491
- Dichanthelium malacophyllum (Indiana state record)—19(3):264
- Diplachne fusca subsp. univaria (Indiana state record)—19(3):264
- Drosera rotundifolia* (Alabama)—19(2):133

- Droseraceae (Alabama)—19(2):133
 Dryopteridaceae (Georgia floristic record)—19(4):621
 Dryopteris clintoniana (Indiana noteworthy record)—19(3):277
 earliest illustration of *Coffea arabica*—19(2):129
 East Indian Holly Fern (Georgia floristic record)—19(4):621
 eastern Andean slopes—19(2):89
 Ecuador—19(1):39
 Ecuador (Arenaria)—19(4):607
 Ecuador, eastern Andean slopes—19(2):89
 Ecuador, northwestern—19(2):95
 Ecuador, southeastern—19(1):35
 Ecuador, southern (sp. nov.)—19(2):101
 Eleocharis atropurpurea (Indiana state record)—19(3):265
 Eleocharis parvula (Indiana state record)—19(3):265
 Epilobium parviflorum (Indiana state record)—19(3):265
 Equisetum sulvaticum (Indiana state record)—19(3):267
 Ericaceae—19(4):419
Erigeron beyrichii (Fisch. & C.A. Mey.) Noyes & D.B. Poind., **comb. et stat. nov.**—19(1):32
 Erigeron beyrichii—19(1):27
 Eriophorum tenellum (Indiana state record)—19(3):267
 Erocaceae: Vaccinieae—19(1):35
 Estill County, Kentucky (flora)—19(3):285
 Euonymus maackii (Arkansas record)—19(4):611
Farnesia borbonica (L.) A.R. Franck, **comb. nov.**—19(4):480
Farnesia humilis (Nash) A.R. Franck, **comb. nov.**—19(4):480
Farnesia palustris (Raf.) A.R. Franck, **comb. nov.**—19(4):480
 Fimbristylis puberula (Indiana noteworthy record)—19(3):277
 Floral response to prescribed fire—19(3):233
 Florida (U.S.A.)—19(3):241
 Galium palustre (Indiana state record)—19(3):267
 Gangtok, Sikkim—19(2):155
 Georgia (floristic record)—19(4):621, 625
 Gesneriaceae (sp. nov.)—19(2):101
 Greenland—19(2):107
 Hibiscus—19(4):375
 Indiana (state records)—19(3):255
 inland saline wetlands (U.S.A.)—19(3):241
 Ipomoea cordatotriloba (Kentucky state record/notable collection)—19(3):307
 Japanese Beech Fern (Georgia floristic record)—19(4):625
 Kansas Phragmites australis subsp. australis—19(4):629
 Kentucky, Estill County (flora)—19(3):285
 Labrador—19(2):107
 Lagerstroemia indica (Kentucky state record/notable collection)—19(3):307
 Lathyrus hirsutus (Indiana state record)—19(3):268
 Lauraceae—19(4):477
 Lecythidaceae—19(4):483
 Lepidium oblongum (Indiana state record)—19(3):268
 Lespedeza daurica (Indiana state record)—19(3):268
 Leucothoe frontanesiana (Kentucky state record/notable collection)—19(3):307
 lichen and allied fungi reports—19(4):389
 Lonicera canadensis (Indiana noteworthy record)—19(3):277
 Malvaceae: Hibisceae—19(4):375
Mandevilla hansenii J.F. Morales, **sp. nov.**—19(1):42
 Mandevilla—19(1):39
 Montana (state record)—19(3):335
Muenchhusia—19(4):375
Muenchhusia coccinea (Walter) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):379
Muenchhusia dasycalyx (S.F. Blake & Shiller) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):380
Muenchhusia grandiflora (Michx.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381
Muenchhusia grandiflora (Michx.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381
Muenchhusia moscheuta (L.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381
Muenchhusia moscheuta subsp. **lasiocarpa** (Cav.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):384
 Myristicaceae: Viroleae—19(3):177
 Nabalus albus—19(3):177
Nabalus albus var. **stramineus** Sorrie & LeBlond, **var. nov.**—19(3):178
 New World Chiococceae (tribe, Rubiaceae)—19(4):501
 North America (floristic record)—19(3):255, 335
 North America, southwestern—19(1):51
 North Carolina (Orchidaceae)—19(3):211
 North Coast Range (California)—19(3):167
 northwest Alabama (*Drosera rotundifolia*)—19(2):133
 northwestern, Ecuador—19(2):95
 Odontarrhena muralis (Indiana state record)—19(3):271
 Oenanthes javanica (Indiana state record)—19(3):271
 Oklahoma (state record)—19(3):341
 Opuntia bentonii—19(1):17
 Orchidaceae (Arkansas floristic record)—19(4):617
 Orchidaceae (North Carolina)—19(3):211
 Orchidaceae: Pleurothallidinae—19(2):89
 Oregon, Benton County (flora)—19(3):347
 Packera crocata—19(2):77
 Packera dimorphophylla—19(2):77
Packera intermedia (T.M. Barkley) C.F. Keller, **comb. & stat. nov.**—19(2):85
 Panama—19(4):483
 Páramos (Ecuador)—19(4):607
 Paspalum dilatatum (Indiana state record)—19(3):271
 Paspalum distichum (Indiana state record)—19(3):271
 PCR-based method—19(2):71
 Persea—19(4):477
 Persicaria extremiorientalis (Indiana state record)—19(3):273
 Phegopteris decursive-pinnata (Georgia floristic record)—19(4):625
 Phragmites australis subsp. australis (Kansas)—19(4):629
 Pilosella officinarum (Indiana state record)—19(3):273
 Pleioblastus fortunei (Arkansas state record)—19(2):141
Pleurothallis puyoensis Criollo, **sp. nov.**—19(2):90
 Pleurothallis puyoensis—19(2):89
 Poaceae (Arkansas state record)—19(2):141
 Potentilla supina (Indiana state record)—19(3):273
Pyrenodesmia praemontana E. Tripp, J. Watts, & Raynor, **sp. nov.**—19(4):393
 Reed, common—19(4):629
 residual highbush (*Vaccinium*)—19(4):419
 Rocky Mountains, southern—19(2):77
 Rubiaceae (*Coffea arabica*)—19(2):129
 Rubiaceae: Dialypetalanthoideae—19(4):501
 Rumex fueginus (Indiana state record)—19(3):275
 Scheuchzeria palustris subsp. americana (Indiana noteworthy record)—19(3):277

- Scolosanthus crucifer** ssp. **microphyllus** (Borhidi) Delprete, **comb. et stat. nov.**—19(4):575
- Scolosanthus nipensis** Borhidi ex Delprete, **sp. nov.**—19(4):578
- Scottmoria cupellastyla** Cornejo, **sp. nov.**—19(4):483, **484**
- Scottmoria stylivulcanica** S.A. Mori & Cornejo, **sp. nov.**—19(4):483, **487**
- Scottmoria woodsoniana** (Dwyer) Cornejo, **comb. nov.**—19(4):483, **489**
- Sixth Botanical Nomenclature Course—19(2):155
- Solenandra coriacea** (Poir.) Delprete, **comb. nov.**—19(4):585
- Solenandra parviflora** (Bonpl.) Delprete, **comb. nov.**—19(4):589
- southeastern Ecuador—19(1):35
- southeastern U.S.A. (Persea)—19(4):477
- southeastern United States—19(1):27
- southern Ecuador (sp. nov.)—19(2):101
- southern Great Plains (U.S.A.)—19(3):233
- southern Rocky Mountains—19(2):77
- southwestern North America—19(1):51
- Streptanthus** (sp. nov.)—19(3):167
- Streptanthus callizoi** R. O'Donnell, **sp. nov.**—19(3):167
- Symphyotrichum lowreanum**—19(1):1
- Symphyotrichum lowreanum** var. **incisum** (Porter ex Britton) F. Levy, **comb. nov.**—19(1):14
- Taraxacum palustre** (Indiana state record)—19(3):275
- Tassiloa friogranitica** E. Tripp, Raynor, & J. Watts, **sp. nov.**—19(4):393
- Texas (state record)—19(2):147
- Texas Gulf Coast Beach Cactus—19(1):17
- Townsendia raptora** L.M. Shultz, T.K. Lowrey, & Z.R. Coury, **sp. nov.**—19(3):158
- Townsendia raptora**—19(3):157
- Tridens strictus** (Indiana state record)—19(3):275
- Trifolium fragiferum** (Indiana state record)—19(3):275
- Triodanis**—19(2):71
- United States, southeastern—19(1):27
- Upper St. Johns River Basin, Florida (U.S.A.)—19(3):241
- Utah and Colorado (sp. nov.)—19(3):157
- Vaccinium** sect. **Cyanococcus**—19(4):419
- Veronica sublobata** (Indiana state record)—19(3):276
- Veronica triphyllos** (Indiana state record)—19(3):276
- Viola** (sp. nov.)—19(3):177
- Viola** (list for Amazónica Colombiana)—19(3):177, 197
- Viola narcotica** W.A. Rodrigues ex D. Santam. & J.M. Vélez, **sp. nov.**—19(3):186
- Williams and Bowdoin colleges—19(2):107
- Xeranthemum annuum** (Montana state record)—19(3):335

31 NEW NAMES AND NEW COMBINATIONS VOLUME 19 (2025)

- Aphelandra bracteoplectinata** Cornejo, Wassh., & Cohen, **sp. nov.**—19(2):95
- Cerastostema gualaquizaensis** var. **lucida** (Cornejo & Luteyn) Cornejo & Luteyn, **comb. nov.**—19(1):35
- Columnnea flammeostoma** J.L. Clark, **sp. nov.**—19(2):102
- Coutaportia campanilla** (DC.) Delprete, **comb. nov.**—19(4):528
- Dendropanax bacchus** J.F. Morales, **sp. nov.**—19(4):495
- Erigeron beyrichii** (Fisch. & C.A. Mey.) Noyes & D.B. Poind., **comb. et stat. nov.**—19(1):32
- Farnesia borbonia** (L.) A.R. Franck, **comb. nov.**—19(4):480
- Farnesia humilis** (Nash) A.R. Franck, **comb. nov.**—19(4):480
- Farnesia palustris** (Raf.) A.R. Franck, **comb. nov.**—19(4):480
- Mandevilla hansenii** J.F. Morales, **sp. nov.**—19(1):42
- Muenchhusia coccinea** (Walter) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):379
- Muenchhusia dasycalyx** (S.F. Blake & Shiller) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):380
- Muenchhusia grandiflora** (Michx.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381
- Muenchhusia moscheuta** (L.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381
- Muenchhusia moscheuta** subsp. **lasiocarpa** (Cav.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):384
- Nabalus albus** var. **stramineus** Sorrie & LeBlond, **var. nov.**—19(3):178
- Packera intermedia** (T.M. Barkley) C.F. Keller, **comb. & stat. nov.**—19(2):85
- Pleurothallis puyoensis** Criollo, **sp. nov.**—19(2):90
- Pyrenodesmia praemontana** E. Tripp, J. Watts, & Raynor, **sp. nov.**—19(4):393
- Scolosanthus crucifer** ssp. **microphyllus** (Borhidi) Delprete, **comb. et stat. nov.**—19(4):575
- Scolosanthus nipensis** Borhidi ex Delprete, **sp. nov.**—19(4):578
- Scottmoria cupellastyla** Cornejo, **sp. nov.**—19(4):484
- Scottmoria stylivulcanica** S.A. Mori & Cornejo, **sp. nov.**—19(4):487
- Scottmoria woodsoniana** (Dwyer) Cornejo, **comb. nov.**—19(4):489
- Solenandra coriacea** (Poir.) Delprete, **comb. nov.**—19(4):585
- Solenandra parviflora** (Bonpl.) Delprete, **comb. nov.**—19(4):589
- Streptanthus callizoi** R. O'Donnell, **sp. nov.**—19(3):167
- Symphyotrichum lowreanum** var. **incisum** (Porter ex Britton) F. Levy, **comb. nov.**—19(1):14
- Tassiloa friogranitica** E. Tripp, Raynor, & J. Watts, **sp. nov.**—19(4):393
- Townsendia raptora** L.M. Shultz, T.K. Lowrey, & Z.R. Coury, **sp. nov.**—19(3):158
- Viola narcotica** W.A. Rodrigues ex D. Santam. & J.M. Vélez, **sp. nov.**—19(3):186

INDEX TO 150 TYPIFICATIONS
VOLUME 19 (2025)

- Althaea grandiflora* Scop.—**Lectotype**, designated by HANES AND BARRETT—19(4):383
- Arenaria bourgaei* Hemsl.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):607
- Arenaria jamesoniana* Rohrb.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
- Arenaria parvifolia* Benth.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
- Arenaria radians* Benth.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
- Arenaria reptans* Hemsl.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
- Arenaria tetragyna* Willd. ex D.F.K. Schldt.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):609
- Bignonia triflora* Pav. ex A. DC.—**Neotype**, designated by DELPRETE—19(4):531
- Catesbaea ekmaniana* Urb.—**Lectotype**, designated by DELPRETE—19(4):511
- Catesbaea flaviflora* Urb.—**Lectotype**, designated by DELPRETE—19(4):511
- Catesbaea fuertesii* Urb.—**Neotype**, designated by DELPRETE—19(4):512
- Catesbaea gamboana* Urb.—**Lectotype**, designated by DELPRETE—19(4):512
- Catesbaea glabra* Urb.—**Neotype**, designated by DELPRETE—19(4):512
- Catesbaea grayi* Griseb.—**Lectotype**, designated by DELPRETE—19(4):513
- Catesbaea latifolia* Lindl.—**Lectotype**, designated by DELPRETE—19(4):517
- Catesbaea macrantha* C. Wright—**Lectotype**, designated by DELPRETE—19(4):517
- Catesbaea melanocarpa* Krug & Urb.—**Lectotype**, designated by DELPRETE—19(4):514
- Catesbaea microcarpa* Urb.—**Neotype**, designated by DELPRETE—19(4):514
- Catesbaea parviflora* Sw.—**Lectotype**, designated by DELPRETE—19(4):515
- Catesbaea sphaerocarpa* Urb.—**Neotype**, designated by DELPRETE—19(4):516
- Catesbaea triacantha* Spreng.—**Neotype**, designated by DELPRETE—19(4):581
- Catesbaea vavassorii* Spreng.—**Lectotype**, designated by DELPRETE—19(4):545
- Cinchona floribunda* Sw.—**Lectotype**, designated by DELPRETE—19(4):594
- Cinchona spinosa* Le Vavass.—**Lectotype**, designated by DELPRETE—19(4):543
- Coutarea hexandra* f. *tarapotensis* K. Schum.—**Neotype**, designated by DELPRETE—19(4):531
- Coutarea hexandra* var. *γ amazonica* K. Schum.—**Lectotype**, designated by DELPRETE—19(4):531
- Coutarea hexandra* var. *δ fluminensis* K. Schum.—**Lectotype**, designated by DELPRETE—19(4):531
- Coutarea mollis* Cham.—**Neotype**, designated by DELPRETE—19(4):530
- Coutarea pubescens* Pohl—**Lectotype**, designated by DELPRETE—19(4):530
- Coutarea scherffiana* André—**Lectotype**, designated by DELPRETE—19(4):531
- Cyanococcus holophyllus* Small—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—19(4):441
- Chiococca anguifuga* Mart.—**Lectotype**, designated by DELPRETE—19(4):520
- Chiococca brachiata* var. *tenuifolia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *α grandifolia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *β genuina* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *γ valida* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *δ conjungens* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *ζ biformis* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *η intermedia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *θ diplomorpha* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *ι rigidula* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *λ acutifolia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *μ microphylla* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *ν acuminata* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *ξ subrhombea* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *ο lanceolata* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca brachiata* var. *π petiolaris* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
- Chiococca densifolia* Mart.—**Lectotype**, designated by DELPRETE—19(4):520
- Chiococca nitida* Benth.—**Lectotype**, designated by DELPRETE—19(4):524
- Chiococca phaenostemon* Schldt.—**Lectotype**, designated by DELPRETE—19(4):525
- Chiococca pubescens* Humb. & Bonpl. ex Schult.—**Lectotype**, designated by DELPRETE—19(4):519
- Chiococca racemosa* Jacq. var. *β scandens* DC.—**Lectotype**, designated by DELPRETE—19(4):520
- Chiococca racemosa* Jacq. var. *ε floridana* DC.—**Lectotype**, designated by DELPRETE—19(4):521
- Chiococca racemosa* var. *yucatanana* Loes.—**Neotype**, designated by DELPRETE—19(4):522
- Dendropanax caucanus* (Harms) Harms—**Lectotype**, designated by MORALES—19(4):493
- Eranthemum acanthodes* Spreng.—**Neotype**, designated by DELPRETE—19(4):574
- Erithalis fruticosa* L.—**Lectotype**, designated by DELPRETE—19(4):536
- Erithalis inodora* Jacq.—**Neotype**, designated by DELPRETE—19(4):536
- Erithalis revoluta* Urb.—**Lectotype**, designated by DELPRETE—19(4):536
- Exostema acuminatum* Urb.—**Neotype**, designated by DELPRETE—19(4):539

- Exostema australe* A. St. Hil.—**Epitype**, designated by DELPRETE—**19(4):545**
- Exostema bicolor* Poepp.—**Lectotype**, designated by DELPRETE—**19(4):555**
- Exostema canescens* Bartl. ex DC.—**Lectotype**, designated by DELPRETE—**19(4):548**
- Exostema curbeloi* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):591**
- Exostema eggersii* Urb.—**Neotype**, designated by DELPRETE—**19(4):591**
- Exostema elegans* Krug & Urb.—**Lectotype**, designated by DELPRETE—**19(4):591**
- Exostema lancifolium* Borhidi & Acuña—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema longicuspe* Oerst.—**Lectotype**, designated by DELPRETE—**19(4):540**
- Exostema lucidum* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema microcarpum* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):593**
- Exostema monticola* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):587**
- Exostema nipense* Urb.—**Lectotype**, designated by DELPRETE—**19(4):589**
- Exostema nitens* Urb.—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema picardae* Krug & Urb.—**Neotype**, designated by DELPRETE—**19(4):587**
- Exostema purpureum* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema rupicola* Urb. (as “*rupicolum*”)—**Neotype**, designated by DELPRETE—**19(4):587**
- Exostema salicifolium* Griseb.—**Second-step Lectotype**, designated by DELPRETE—**19(4):543**
- Exostema selleanum* Urb. & Ekm.—**Lectotype**, designated by DELPRETE—**19(4):594**
- Exostema spinosum* var. *tortuense* Urb.—**Lectotype**, designated by DELPRETE—**19(4):545**
- Exostema subcordatum* Krug & Urb.—**Lectotype**, designated by DELPRETE—**19(4):587**
- Exostema subcordatum* var. *buchii* Urb.—**Neotype**, designated by DELPRETE—**19(4):587**
- Gonianthes sagrana* A. Rich.—**Second-step Lectotype**, designated by DELPRETE—**19(4):533**
- Hibiscus aquaticus* DC.—**Lectotype**, designated by HANES AND BARRETT—**19(4):383**
- Hibiscus coccineus* var. *integrifolius* Chapm.—**Lectotype**, designated by HANES AND BARRETT—**19(4):379**
- Hibiscus hastatus* Michx.—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus incanus* J.C. Wendl.—**Lectotype**, designated by HANES AND BARRETT—**19(4):383**
- Hibiscus jerroldianus* Paxton—**Lectotype**, designated by HANES AND BARRETT—**19(4):379**
- Hibiscus laevis* Allioni—**Neotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus militaris* Cav.—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus riparius* Pers.—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus speciosus* Sol.—**Lectotype**, designated by HANES AND BARRETT—**19(4):379**
- Hibiscus urbanii* Helwig—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Isidorea amoena* A. Rich. ex DC.—**Lectotype**, designated by DELPRETE—**19(4):552**
- Isidorea brachyantha* Urb.—**Neotype**, designated by DELPRETE—**19(4):550**
- Isidorea cubensis* Standl.—**Lectotype**, designated by DELPRETE—**19(4):568**
- Isidorea leonardi* Urb.—**Lectotype**, designated by DELPRETE—**19(4):551**
- Isidorea leptantha* Urb.—**Lectotype**, designated by DELPRETE—**19(4):551**
- Isidorea pedicellaris* Urb.—**Lectotype**, designated by DELPRETE—**19(4):552**
- Isidorea tetramera* Urb. & Ekm.—**Lectotype**, designated by DELPRETE—**19(4):553**
- Laurus carolinensis* Michx.—**Lectotype**, designated by FRANCK—**19(4):480**
- Mandevilla polyantha* K. Schum. ex Woodson—**Lectotype**, designated by Morales—**19(1):46**
- Phialanthus ellipticus* Urb.—**Lectotype**, designated by DELPRETE—**19(4):557**
- Phialanthus glaberrimus* Borhidi—**Lectotype**, designated by DELPRETE—**19(4):557**
- Phialanthus grandifolius* Alain—**Lectotype**, designated by DELPRETE—**19(4):558**
- Phialanthus jamaicensis* Urb.—**Lectotype**, designated by DELPRETE—**19(4):558**
- Phialanthus myrtilloides* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):560**
- Phialanthus oblongatus* Urb.—**Lectotype**, designated by DELPRETE—**19(4):560**
- Phialanthus parvifolius* Urb.—**Lectotype**, designated by DELPRETE—**19(4):561**
- Phialanthus resinifluus* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):561**
- Phialanthus revolutus* Urb.—**Neotype**, designated by DELPRETE—**19(4):561**
- Phialanthus rigidus* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):562**
- Phialanthus stillans* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):562**
- Portlandia albiflora* Britton & Harris ex Standl.—**Lectotype**, designated by DELPRETE—**19(4):564**
- Portlandia coccinea* Sw.—**Second-step Lectotype**, designated by DELPRETE—**19(4):563**
- Portlandia daphnoides* R. Graham—**Neotype**, designated by DELPRETE—**19(4):533**
- Portlandia domingensis* Britton—**Lectotype**, designated by DELPRETE—**19(4):534**
- Portlandia elliptica* Britton—**Lectotype**, designated by DELPRETE—**19(4):569**
- Portlandia ghiesbreghtiana* Baill.—**Second-step Lectotype**, designated by DELPRETE—**19(4):528**
- Portlandia harrisii* Britton—**Second-step Lectotype**, designated by DELPRETE—**19(4):563**
- Portlandia longiflora* Meisner ex Griseb.—**Second-step Lectotype**, designated by DELPRETE—**19(4):534**
- Portlandia nitens* Britton.—**Lectotype**, designated by DELPRETE—**19(4):570**
- Randia wrightiana* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):582**

- Sabulina howellii* (S. Watson) Dillenb. & Kadereit—**Lectotype**, designated by Dillenberger and Rabeler—**19(3):208**
- Scolosanthus densiflorus*—**Lectotype**, designated by DELPRETE—**19(4):575**
- Scolosanthus grandifolius* Krug & Urb.—**Lectotype**, designated by DELPRETE—**19(4):576**
- Scolosanthus granulatus* Urb.—**Lectotype**, designated by DELPRETE—**19(4):576**
- Scolosanthus lucidus* Britton—**Lectotype**, designated by DELPRETE—**19(4):577**
- Scolosanthus selleanus* Urb. & Ekman—**Lectotype**, designated by DELPRETE—**19(4):580**
- Scolosanthus strictus* Urb.—**Lectotype**, designated by DELPRETE—**19(4):580**
- Scolosanthus versicolor* Vahl—**Lectotype**, designated by DELPRETE—**19(4):581**
- Schmidtottia corymbosa* Borhidi—**Lectotype**, designated by DELPRETE—**19(4):572**
- Schmidtottia cubensis* var. *crystalensis* Borhidi & Muñiz—**Lectotype**, designated by DELPRETE—**19(4):568**
- Schmidtottia marmorata* Urb.—**Lectotype**, designated by DELPRETE—**19(4):569**
- Schmidtottia monantha* Urb.—**Lectotype**, designated by DELPRETE—**19(4):570**
- Schmidtottia multiflora* Urb.—**Lectotype**, designated by DELPRETE—**19(4):570**
- Senecio crocatus* Rydb.—**Lectotype**, designated by Keller, Moore-Pollard, and McCauley—**19(2):83**
- Shaferocharis cubensis* Urb.—**Neotype**, designated by DELPRETE—**19(4):583**
- Tamala acuminata* Raf.—**Neotype**, designated by FRANCK—**19(4):480**
- Tamala carolinensis* Raf.—**Lectotype**, designated by FRANCK—**19(4):480**
- Tamala* Raf.—**Type species**, designated by FRANCK—**19(4):480**
- Vaccinium atlanticum* E.P. Bicknell—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**
- Vaccinium caesariense* Mack.—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):441**
- Vaccinium corymbosum* L.—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**
- Vaccinium corymbosum* var. *atrocarpum* A. Gray—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):441**
- Vaccinium corymbosum* var. *glabrum* A. Gray—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**
- Vaccinium formosum* Andrews—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**
- Vaccinium fuscatum* Aiton—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):441**
- Vaccinium marianum* P. Watson—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**
- Vaccinium vicinum* E.P. Bicknell—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**
- Vaccinium virgatum* var. *parvifolium* A. Gray—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):452**