

TABLE OF CONTENTS

SYSTEMATICS

The hardy **Hibiscus**—still hardy, but no longer **Hibiscus**: Reinstatement of **Muenchhusia** (Malvaceae: Hibisceae)

MARGARET M. HANES AND RUSSELL L. BARRETT

375

New and noteworthy reports of lichens and allied fungi to Colorado (U.S.A.), including descriptions of two species new to science

ERIN A. MANZITTO-TRIPP, JACOB L. WATTS, AND SETH J. RAYNOR

389

Evolution and taxonomic revision of the “residual highbush” blueberries of **Vaccinium** sect. **Cyanococcus** (Ericaceae)

PETER W. FRITSCH, ANDREW A. CROWL, AND PAUL MANOS

419

Taxonomy of **Persea** (Lauraceae) in the southeastern USA

ALAN R. FRANCK

477

Scottmoria cupellastyla and **S. stylivulcanica**, two new trees of Lecythidaceae from Costa Rica, and **S. woodsoniana**, a new combination from Panama

XAVIER CORNEJO

483

Deciphering the identity of **Dendropanax caucanus** (Araliaceae) and a new species from Costa Rica

J. FRANCISCO MORALES

491

Synopsis and typification of New World members of the tribe Chiococceae (Rubiaceae, Dialypetalanthoideae)

PIERO G. DELPRETE

501

Nomenclatural notes in **Arenaria** (Caryophyllaceae) from the Páramos of Ecuador

EMILIO J. TRUJILLO AND PRISCILLA MURIEL

607

FLORISTICS, ECOLOGY, AND CONSERVATION

First record of **Euonymus maackii** (Celastraceae) from the Arkansas (U.S.A.) flora

BRETT E. SERVISS AND JONATHAN R. KRATZ

611

Cypripedium candidum (Orchidaceae) discovered in Arkansas, U.S.A.

BEN E. BENTON, DIANN DENNIS, JIM KEESLING, PAUL BARNARD, AND THEO WITSELL

617

East Indian holly fern, **Arachniodes simplicior** (Dryopteridaceae), in Georgia, U.S.A.

ROBERT W. PEMBERTON

621

The naturalization of **Phegopteris decursive-pinnata** (Aspleniaceae), the Japanese beech fern, in Georgia, U.S.A.

ROBERT W. PEMBERTON

625

Morphological and genetic analyses of herbarium specimens clarify the arrival of non-native common reed (**Phragmites australis** subsp. **australis**) in Kansas (U.S.A.)

JAMES B. BECK, ISABELL DEVILBISS, SYDNEY HENDRIX, TOMMY HUELA, MASON MOORE, YANA SLIVKA, DAVID SMITH, CASSANDRA STANDLEY, AND CRAIG C. FREEMAN

629

Book Reviews and Notices 388, 500, 606, 636

Index Volume 19 (2025)—637



This article has been licensed as Open Access by the author(s) and publisher.
This version supersedes any other version with conflicting usage rights.

INDEX to new names and new combinations in *J. Bot. Res. Inst. Texas* 19(4), 2025

Coutaportia campanilla (DC.) Delprete, **comb. nov.**—19(4):528
Dendropanax bacchus J.F. Morales, **sp. nov.**—19(4):495
Farnesia borbonia (L.) A.R. Franck, **comb. nov.**—19(4):480
Farnesia humilis (Nash) A.R. Franck, **comb. nov.**—19(4):480
Farnesia palustris (Raf.) A.R. Franck, **comb. nov.**—19(4):480
Muenchhusia coccinea (Walter) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):379
Muenchhusia dasycalyx (S.F. Blake & Shiller) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):380
Muenchhusia grandiflora (Michx.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381
Muenchhusia grandiflora (Michx.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381
Muenchhusia moscheuta (L.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):381

INDEX to typifications in *J. Bot. Res. Inst. Texas* 19(4), 2025

Althaea grandiflora Scop.—**Lectotype**, designated by HANES AND BARRETT—19(4):383
Arenaria bourgaei Hemsl.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):607
Arenaria jamesoniana Rohrb.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
Arenaria parvifolia Benth.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
Arenaria radians Benth.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
Arenaria reptans Hemsl.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):608
Arenaria tetragyna Willd. ex D.F.K. Schltld.—**Lectotype**, designated by TRUJILLO AND MURIEL—19(4):609
Bignonia triflora Pav. ex A. DC.—**Neotype**, designated by DELPRETE—19(4):531
Catesbaea ekmaniana Urb.—**Lectotype**, designated by DELPRETE—19(4):511
Catesbaea flaviflora Urb.—**Lectotype**, designated by DELPRETE—19(4):511
Catesbaea fuertesii Urb.—**Neotype**, designated by DELPRETE—19(4):512
Catesbaea gamboana Urb.—**Lectotype**, designated by DELPRETE—19(4):512
Catesbaea glabra Urb.—**Neotype**, designated by DELPRETE—19(4):512
Catesbaea grayi Griseb.—**Lectotype**, designated by DELPRETE—19(4):513
Catesbaea latifolia Lindl.—**Lectotype**, designated by DELPRETE—19(4):517
Catesbaea macracantha C. Wright—**Lectotype**, designated by DELPRETE—19(4):517
Catesbaea melanocarpa Krug & Urb.—**Lectotype**, designated by DELPRETE—19(4):514
Catesbaea microcarpa Urb.—**Neotype**, designated by DELPRETE—19(4):514
Catesbaea parviflora Sw.—**Lectotype**, designated by DELPRETE—19(4):515
Catesbaea sphaerocarpa Urb.—**Neotype**, designated by DELPRETE—19(4):516
Catesbaea triacantha Spreng.—**Neotype**, designated by DELPRETE—19(4):581
Catesbaea vavassorii Spreng.—**Lectotype**, designated by DELPRETE—19(4):545
Cinchona floribunda Sw.—**Lectotype**, designated by DELPRETE—19(4):594

Muenchhusia moscheuta subsp. *lasiocarpa* (Cav.) M.M. Hanes & R.L. Barrett, **comb. nov.**—19(4):384
Pyrenodesmia praemontana E. Tripp, J. Watts, & Raynor, **sp. nov.**—19(4):393
Scolosanthus crucifer ssp. *microphyllus* (Borhidi) Delprete, **comb. et stat. nov.**—19(4):575
Scolosanthus nipensis Borhidi ex Delprete, **sp. nov.**—19(4):578
Scottmoria cupellastyla Cornejo, **sp. nov.**—19(4):484
Scottmoria stylivulcanica S.A. Mori & Cornejo, **sp. nov.**—19(4):487
Scottmoria woodsoniana (Dwyer) Cornejo, **comb. nov.**—19(4):489
Solenandra coriacea (Poir.) Delprete, **comb. nov.**—19(4):585
Solenandra parviflora (Bonpl.) Delprete, **comb. nov.**—19(4):589
Tassiloa friogranitica E. Tripp, Raynor, & J. Watts, **sp. nov.**—19(4):393

Cinchona spinosa Le Vavass.—**Lectotype**, designated by DELPRETE—19(4):543
Coutarea hexandra f. *tarapotensis* K. Schum.—**Neotype**, designated by DELPRETE—19(4):531
Coutarea hexandra var. γ *amazonica* K. Schum.—**Lectotype**, designated by DELPRETE—19(4):531
Coutarea hexandra var. δ *fluminensis* K. Schum.—**Lectotype**, designated by DELPRETE—19(4):531
Coutarea mollis Cham.—**Neotype**, designated by DELPRETE—19(4):530
Coutarea pubescens Pohl—**Lectotype**, designated by DELPRETE—19(4):530
Coutarea scherffiana André—**Lectotype**, designated by DELPRETE—19(4):531
Cyanococcus holophyllus Small—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—19(4):441
Chiococca anguifuga Mart.—**Lectotype**, designated by DELPRETE—19(4):520
Chiococca brachiata var. *tenuifolia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. α *grandifolia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. β *genuina* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. γ *valida* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. δ *conjungens* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. ζ *biformis* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. η *intermedia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. θ *diplomorpha* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. ι *rigidula* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. λ *acutifolia* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. μ *microphylla* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. ν *acuminata* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. ξ *subrhombea* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522
Chiococca brachiata var. $\omicron$ *lanceolata* Müll. Arg.—**Lectotype**, designated by DELPRETE—19(4):522

- Chiococca brachiata* var. *petiolaris* Müll. Arg.—**Lectotype**, designated by DELPRETE—**19(4):522**
- Chiococca densifolia* Mart.—**Lectotype**, designated by DELPRETE—**19(4):520**
- Chiococca nitida* Benth.—**Lectotype**, designated by DELPRETE—**19(4):524**
- Chiococca phaenostemon* Schtdl.—**Lectotype**, designated by DELPRETE—**19(4):525**
- Chiococca pubescens* Humb. & Bonpl. ex Schult.—**Lectotype**, designated by DELPRETE—**19(4):519**
- Chiococca racemosa* Jacq. var. *β scandens* DC.—**Lectotype**, designated by DELPRETE—**19(4):520**
- Chiococca racemosa* Jacq. var. *ε floridana* DC.—**Lectotype**, designated by DELPRETE—**19(4):521**
- Chiococca racemosa* var. *yucatanana* Loes.—**Neotype**, designated by DELPRETE—**19(4):522**
- Dendropanax caucanus* (Harms) Harms—**Lectotype**, designated by MORALES—**19(4):493**
- Eranthemum acanthodes* Spreng.—**Neotype**, designated by DELPRETE—**19(4):574**
- Erithalis fruticosa* L.—**Lectotype**, designated by DELPRETE—**19(4):536**
- Erithalis inodora* Jacq.—**Neotype**, designated by DELPRETE—**19(4):536**
- Erithalis revoluta* Urb.—**Lectotype**, designated by DELPRETE—**19(4):536**
- Exostema acuminatum* Urb.—**Neotype**, designated by DELPRETE—**19(4):539**
- Exostema australe* A. St. Hil.—**Epitype**, designated by DELPRETE—**19(4):545**
- Exostema bicolor* Poepp.—**Lectotype**, designated by DELPRETE—**19(4):555**
- Exostema canescens* Bartl. ex DC.—**Lectotype**, designated by DELPRETE—**19(4):548**
- Exostema curbeloi* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):591**
- Exostema egersii* Urb.—**Neotype**, designated by DELPRETE—**19(4):591**
- Exostema elegans* Krug & Urb.—**Lectotype**, designated by DELPRETE—**19(4):591**
- Exostema lancifolium* Borhidi & Acuña—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema longicuspe* Oerst.—**Lectotype**, designated by DELPRETE—**19(4):540**
- Exostema lucidum* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema microcarpum* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):593**
- Exostema monticola* Borhidi & M. Fernández—**Lectotype**, designated by DELPRETE—**19(4):587**
- Exostema nipense* Urb.—**Lectotype**, designated by DELPRETE—**19(4):589**
- Exostema nitens* Urb.—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema picardae* Krug & Urb.—**Neotype**, designated by DELPRETE—**19(4):587**
- Exostema purpureum* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):541**
- Exostema rupicola* Urb. (as “*rupicolum*”)—**Neotype**, designated by DELPRETE—**19(4):587**
- Exostema salicifolium* Griseb.—**Second-step Lectotype**, designated by DELPRETE—**19(4):543**
- Exostema selleanum* Urb. & Ekm.—**Lectotype**, designated by DELPRETE—**19(4):594**
- Exostema spinosum* var. *tortuense* Urb.—**Lectotype**, designated by DELPRETE—**19(4):545**
- Exostema subcordatum* Krug & Urb.—**Lectotype**, designated by DELPRETE—**19(4):587**
- Exostema subcordatum* var. *buchii* Urb.—**Neotype**, designated by DELPRETE—**19(4):587**
- Gonianthes sagrana* A. Rich.—**Second-step Lectotype**, designated by DELPRETE—**19(4):533**
- Hibiscus aquaticus* DC.—**Lectotype**, designated by HANES AND BARRETT—**19(4):383**
- Hibiscus coccineus* var. *integrifolius* Chapm.—**Lectotype**, designated by HANES AND BARRETT—**19(4):379**
- Hibiscus hastatus* Michx.—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus incanus* J.C. Wendl.—**Lectotype**, designated by HANES AND BARRETT—**19(4):383**
- Hibiscus jerroldianus* Paxton—**Lectotype**, designated by HANES AND BARRETT—**19(4):379**
- Hibiscus laevis* Allioni—**Neotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus militaris* Cav.—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus riparius* Pers.—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Hibiscus speciosus* Sol.—**Lectotype**, designated by HANES AND BARRETT—**19(4):379**
- Hibiscus urbanii* Helwig—**Lectotype**, designated by HANES AND BARRETT—**19(4):381**
- Isidorea amoena* A. Rich. ex DC.—**Lectotype**, designated by DELPRETE—**19(4):552**
- Isidorea brachyantha* Urb.—**Neotype**, designated by DELPRETE—**19(4):550**
- Isidorea cubensis* Standl.—**Lectotype**, designated by DELPRETE—**19(4):568**
- Isidorea leonardi* Urb.—**Lectotype**, designated by DELPRETE—**19(4):551**
- Isidorea leptantha* Urb.—**Lectotype**, designated by DELPRETE—**19(4):551**
- Isidorea pedicellaris* Urb.—**Lectotype**, designated by DELPRETE—**19(4):552**
- Isidorea tetramera* Urb. & Ekm.—**Lectotype**, designated by DELPRETE—**19(4):553**
- Laurus carolinensis* Michx.—**Lectotype**, designated by FRANCK—**19(4):480**
- Phialanthus ellipticus* Urb.—**Lectotype**, designated by DELPRETE—**19(4):557**
- Phialanthus glaberrimus* Borhidi—**Lectotype**, designated by DELPRETE—**19(4):557**
- Phialanthus grandifolius* Alain—**Lectotype**, designated by DELPRETE—**19(4):558**
- Phialanthus jamaicensis* Urb.—**Lectotype**, designated by DELPRETE—**19(4):558**
- Phialanthus myrtilloides* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):560**
- Phialanthus oblongatus* Urb.—**Lectotype**, designated by DELPRETE—**19(4):560**
- Phialanthus parvifolius* Urb.—**Lectotype**, designated by DELPRETE—**19(4):561**
- Phialanthus resinifluus* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):561**
- Phialanthus revolutus* Urb.—**Neotype**, designated by DELPRETE—**19(4):561**
- Phialanthus rigidus* Griseb.—**Lectotype**, designated by DELPRETE—**19(4):562**

Phialanthus stillans Griseb.—**Lectotype**, designated by DELPRETE—**19(4):562**

Portlandia albiflora Britton & Harris ex Standl.—**Lectotype**, designated by DELPRETE—**19(4):564**

Portlandia coccinea Sw.—**Second-step Lectotype**, designated by DELPRETE—**19(4):563**

Portlandia daphnoides R. Graham—**Neotype**, designated by DELPRETE—**19(4):533**

Portlandia domingensis Britton—**Lectotype**, designated by DELPRETE—**19(4):534**

Portlandia elliptica Britton—**Lectotype**, designated by DELPRETE—**19(4):569**

Portlandia ghiesbreghtiana Baill.—**Second-step Lectotype**, designated by DELPRETE—**19(4):528**

Portlandia harrisii Britton—**Second-step Lectotype**, designated by DELPRETE—**19(4):563**

Portlandia longiflora Meisner ex Griseb.—**Second-step Lectotype**, designated by DELPRETE—**19(4):534**

Portlandia nitens Britton.—**Lectotype**, designated by DELPRETE—**19(4):570**

Randia wrightiana Griseb.—**Lectotype**, designated by DELPRETE—**19(4):582**

Scolosanthus densiflorus—**Lectotype**, designated by DELPRETE—**19(4):575**

Scolosanthus grandifolius Krug & Urb.—**Lectotype**, designated by DELPRETE—**19(4):576**

Scolosanthus granulatus Urb.—**Lectotype**, designated by DELPRETE—**19(4):576**

Scolosanthus lucidus Britton—**Lectotype**, designated by DELPRETE—**19(4):577**

Scolosanthus selleanus Urb. & Ekman—**Lectotype**, designated by DELPRETE—**19(4):580**

Scolosanthus strictus Urb.—**Lectotype**, designated by DELPRETE—**19(4):580**

Scolosanthus versicolor Vahl—**Lectotype**, designated by DELPRETE—**19(4):581**

Schmidtottia corymbosa Borhidi—**Lectotype**, designated by DELPRETE—**19(4):572**

Schmidtottia cubensis var. *crystalensis* Borhidi & Muñiz—**Lectotype**, designated by DELPRETE—**19(4):568**

Schmidtottia marmorata Urb.—**Lectotype**, designated by DELPRETE—**19(4):569**

Schmidtottia monantha Urb.—**Lectotype**, designated by DELPRETE—**19(4):570**

Schmidtottia multiflora Urb.—**Lectotype**, designated by DELPRETE—**19(4):570**

Shaferocharis cubensis Urb.—**Neotype**, designated by DELPRETE—**19(4):583**

Tamala acuminata Raf.—**Neotype**, designated by FRANCK—**19(4):480**

Tamala carolinensis Raf.—**Lectotype**, designated by FRANCK—**19(4):480**

Tamala Raf.—**Type species**, designated by FRANCK—**19(4):480**

Vaccinium atlanticum E.P. Bicknell—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**

Vaccinium caesariense Mack.—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):441**

Vaccinium corymbosum L.—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**

Vaccinium corymbosum var. *atrocarpum* A. Gray—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):441**

Vaccinium corymbosum var. *glabrum* A. Gray—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**

Vaccinium formosum Andrews—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**

Vaccinium fuscatum Aiton—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):441**

Vaccinium marianum P. Watson—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**

Vaccinium vicinum E.P. Bicknell—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):436**

Vaccinium virgatum var. *parvifolium* A. Gray—**Lectotype**, designated by FRITSCH, CROWL, AND MANOS—**19(4):452**